

LED T8 Batten (Reflector) NL171X-NL176X


Features

- Designed for LED T8 tube
- Models suggestions: LED T8 Type A and Type C
- Customized wiring, available on request



Diagrams


Dimensions:



Prosperity Lamps & Components Ltd.

Tel: (852) 2511 0022 Fax: (852) 2511 0082 Web: www.prosperitylamps.com Email: info@prosperitylamps.com

Circuit:



Standards



Applications

Home

Office

Shopping mall

Hotel

Supermarket

Restaurant

Parking

School

Warehouse

Factory

Hospital

Gallery

Museum

Airport

Station

Technical Data	
Model	
NL171X-T8-S600	600mm T8 x1
NL172X-T8-S1200	1200mm T8 x1
NL173X-T8-S1500	1500mm T8 x1

NL174X-T8-T600	600mm T8 x2
NL175X-T8-T1200	1200mm T8 x2
NL176X-T8-T1500	1500mm T8 x2
Mechanical	
Length L [mm]	620 / 1230 / 1530 / 620 / 1230 / 1530
Width W [mm]	130 / 130 / 130 / 150 / 150 / 150
Height H [mm]	81
Material	Body: White powder coated, sheet steel
	Reflector: White powder coated, sheet steel
Standard Compliance	
CE-LVD	EN60598
Electrical Class	I
Other	
Operation Temperature	-10°C ~ 40°C
Storage Temperature	-20°C ~ 60°C